## La legrand

128 av. du Maréchal-de-Lattre-de-Tassigny 87045 Limoges Cedex France Tel. +33 (0) 5 55 06 87 87 Fax. + 33 (0) 5 55 06 88 88

Your usual Sales office www.legrand.com

## Product Environmental Profile

RCBO DX3 4P





#### LEGRAND'S ENVIRONMENTAL COMMITMENTS

• Incorporate environmental management into our industrial sites Of all Legrand sites worldwide, over 80% are ISO 14001-certified (sites belonging to the Group for more than five years).

• Involve the environment in product design Provide our customers with all relevant information (composition, consumption, end of life, etc.). Reduce the environmental impact of products over their whole life cycle.

#### Offer our customers environmentally friendly solutions

Develop innovative solutions to help our customers design more energy efficient, better managed and more environmentally friendly installations.



#### REFERENCE PRODUCT

Function	Residual Current Circuit Breaker with Overload (RCBO) with positive contact indication for control, protection against short-circuits and overloads, and isolation of electrical circuits, protecting people from direct and indirect contact and protecting installations from insulation faults In accordance with standard : EN/IEC 61009-1
Reference Product	
	Cat.No 411187
	RCBO DX <sup>3</sup> 6000 - 4P 400V~ -20A - AC TYPE 30 mA - 10 kA C curve - 4M

The company reserves the right to change specifications and designs without notice. All illustrations, descriptions, dimensions and weights in the document are for guidance and cannot be held binding on the company.



#### PRODUCTS CONCERNED

The environmental data are representative of the following products:

8 E0049A-en

#### Catalogue Numbers

411185, 411186, 411187, 411188, 411189, 411204, 411205, 411206, 411207, 411208, 411223, 411224, 411225, 411226, 411227, 411228, 411229, 411230, 411231, 411232, 411233, 411235, 411235, 411236, 411237, 411238, 411239, 411240, 411241, 411242, 411244, 411245, 411246, 411247, 411249, 411250, 411251, 411252, 411350, 411356, 411359, 411360, 411361, 411362, 411357, 411380, 411381, 411193, 411194, 411195, 411212, 411213, 411214

128 av. du Maréchal-de-Lattre-de-Tassigny 87045 Limoges Cedex France Tel. +33 (0) 5 55 06 87 87 Fax. + 33 (0) 5 55 06 88 88

Your usual Sales office www.legrand.com

## Product Environmental Profile RCBO DX3 4P





#### CONSTITUENT MATERIALS

This Reference Product contains no substances prohibited by the regulations applicable at the time of its introduction to the market. It does not contain substances covered by the RoHS Directive (2002/95/EC and its revision 2011/65/EC)

It contains none of the 138 candidate substances covered by appendix XIV of the REACH regulation dated 19/12/2012

Total weight of Reference Product	526 g (wit	526 g (with unit packaging)								
Plastics as % of weight		Metals as % of weight		Other as % of weight						
PA	22.5%	Steel	29.5%	6 Other electronic componant						
PBT	12.5%	Copper alloys	18.9%							
PC	1.5%	Other metals	7.9%							
Other plastic	1.0%	Zamak	0,3%							
PVC	0.4%	AI	0.2%							
POM 1.		Silver alloys	Packaging as % of weight	eight						
				paper	4.9%					
Total plastics	38.0%	Total metals	56.8%	Total other and packaging	5.2%					

Estimated recycled material content: 21 % of weight.



#### MANUFACTURE

This Reference Product comes from sites that have received ISO14001 certification.



#### DISTRIBUTION

Products are distributed from logistics centres located with a view to optimize transport efficiency. The Reference Product is therefore transported over an average distance of 780 km by road from our warehouse to the local point of distribution into the market in Europe

Packaging is compliant with european directive 2004/12/EC concerning packaging and packaging waste. At their end of life the recyclability rate is 100% (in % of packaging weight).



#### INSTALLATION

Installation components not delivered with the product are not taken into account.



### USE

Servicing and maintenance: Under normal conditions of use, this type of Product requires no servicing or maintenance

Consumable: no consumables are necessary to use this type of product.

## La legrand

128 av. du Maréchal-de-Lattre-de-Tassigny 87045 Limoges Cedex France Tel. +33 (0) 5 55 06 87 87 Fax. + 33 (0) 5 55 06 88 88

Your usual Sales office www.legrand.com

# Product Environmental Profile

RCBO DX3 4P





#### END OF LIFE

Development teams integrate product end-of-life factors in the design phase. Dismantling and sorting of components or materials is made as easy as possible with a view to recycling or failing that, another form of reuse.

#### Recyclability rate:

Calculated using the method given in technical report IEC/TR 62635, the recyclability rate of the product is estimated at 97 %. This value is based on data collected from a technological channel operating on an industrial basis. It does not prejudge the effective use of the channel for electrical and electronic products at the end of their life.

#### Separated into:

- plastic materials (excluding packaging) 37 %
- metal materials (excluding packaging) :55 %
- other materials (excluding packaging) : 0 %
- packaging (all types of materials) : 5 %



#### ENVIRONMENTAL IMPACTS

The evaluation of environmental impacts examines the stages of the Reference Product life cycle: manufacturing, distribution, installation, use and end-of-life. It is representative from products marketed and used in Europe, in compliance with the local current standards

The following modelling elements were taken into account:

Manufacture	Unit packaging taken into account. As required by the "PEP ecopassport" programme all transport for the manufacturing of the Reference Product, including materials and components, has been taken in account.
Distribution	Transport between the last Group distribution centre and an average delivery to the sales area.
Installation	Installation components not delivered with the product are not taken into account.
Use	<ul> <li>Under normal conditions of use, this type of product requires no servicing or maintenance.</li> <li>No consumables are necessary to use this type of product.</li> <li>Product category: passive product</li> <li>Use scenario: non-continuous operation for 20 years at 30% of rated load, during 30% of the time. This modelling duration does not constitute a minimum durability requirement</li> <li>Energy model: Electricity Europe 2005</li> </ul>
End of life	In view of the data avalaible on the date of creation of the document, and in accordance with the requirements of the PCR of the "PEP ecopassport" programme, transport of the Reference Product by road only once, over a distance of 1000 km, to a processing site at end of life was counted.
Software used	EIME V5 and its database «Legrand-2012-10-31 version 3» made from the database «CODDE-2012-07»

Page 3 / 4

## L legrand

128 av. du Maréchal-de-Lattre-de-Tassigny 87045 Limoges Cedex France Tel. +33 (0) 5 55 06 87 87 Fax. + 33 (0) 5 55 06 88 88

Your usual Sales office www.legrand.com

## Product Environmental Profile RCBO DX3 4P



#### ENVIRONMENTAL IMPACTS (continued)

		Total for Li	ife cycle	Raw material and manufacture		Distribution		Installation		Use		End of life	
	Global warming	2.48E+04	g~CO <sub>2</sub> eq.	2.81E+03	11%	4.93E+01	< 1%	0.00E+00	0%	2.19E+04	88%	4.00E+01	< 1%
	Ozone depletion	1.57E-03	g~CFC-11 eq.	3.22E-04	20%	3.49E-05	2%	0.00E+00	0%	1.19E-03	76%	2.84E-05	2%
Mandatory indicators	Water eutrophication	4.53E-01	g~PO <sub>4</sub> <sup>3-</sup> eq.	4.00E-01	88%	8.20E-04	< 1%	0.00E+00	0%	5.14E-02	11%	6.67E-04	< 1%
	Photochemical ozone creation	9.50E+00	$g \sim C_2 H_4 eq.$	1.78E+00	19%	4.28E-02	< 1%	0.00E+00	0%	7.65E+00	80%	3.48E-02	< 1%
Manda	Air acidification	4.64E+00	g~H+ eq.	1.69E+00	36%	6.28E-03	< 1%	0.00E+00	0%	2.93E+00	63%	5.29E-03	< 1%
	Total energy depletion	4.80E+02	MJ	4.58E+01	10%	6.23E-01	< 1%	0.00E+00	0%	4.33E+02	90%	5.07E-01	< 1%
	Water depletion	9.74E+01	dm³	3.47E+01	36%	5.91E-02	< 1%	0.00E+00	0%	6.26E+01	64%	4.81E-02	< 1%

otional indicators	Raw material depletion	3.91E-14	year <sup>-1</sup>	3.86E-14	99%	8.50E-19	< 1%	0.00E+00	0%	4.92E-16	1%	6.91E-19	< 1%
	Air toxicity	6.26E+06	m³	2.62E+06	42%	9.29E+03	< 1%	0.00E+00	0%	3.63E+06	58%	7.83E+03	< 1%
	Water toxicity	7.53E+00	m <sup>3</sup>	1.24E+00	16%	6.87E-03	< 1%	0.00E+00	0%	6.28E+00	83%	5.59E-03	< 1%
Opti	Hazardous waste production	4.38E-01	kg	7.54E-02	17%	1.83E-05	< 1%	0.00E+00	0%	3.63E-01	83%	1.49E-05	< 1%

The environmental impacts of the Reference Product are representative of the products covered by the PEP, which therefore constitute a homgeneous environmental family. To determine the environmental impact of a product covered by the PEP other than the cat.number (ref 411187), the following rules apply :

Manufacturing, Distribution, Installation and End of life phases are identical Use phase impacts are proportional to the power dissipated.

The values of these impacts are valid for the context specified in this document. They must not be used directly to draw up the environmental balance sheet for the installation.

N°enregistrement : LGRP-2014-008-v1-en	Règles de rédaction : PCR : PEP-PCR-ed 2.1-FR-2012 12 11 complété par le PSR : PSR-0005-ed1-FR-2012 12 11					
N° d'habilitation du vérificateur : VH02	Information programme : www.pep-ecopassport.org					
Date d'édition: 01-2014	Durée de validité : 4 ans					
Vérification indépendante de la déclaration et des données, conformée Interne KExterne						
Conforme à la norme ISO 14025 : 2006 déclarations environnementales de type III						
La revue critique du PCR a été conduite par un panel d'experts présidé par J.Chevalier (CSTB)						
Les éléments du présent PEP ne peuvent pas être comparés avec les éléments issus d'un autre programme						